## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	MAY 05 1999
Returned to applicant for correction	
Corrected application filed	MAY 12 1999
Map filed	MAY 12 1999 under 65105

\*\*\*\*\*\*

The applicant HHH Investments, LLC, hereby makes application for permission to change the Place and Manner of Use of a portion of water heretofore appropriated under Permit 41157, Certificate 13213

## \*\*\*\*\*\*

- 1. The source of water is Underground
- 2. The amount of water to be changed 0.175 c.f.s., 126.726 AFA
- 3. The water to be used for Municipal
- 4. The water heretofore permitted for Irrigation and Domestic
- 5. The water is to be diverted at the following point  $SE\frac{1}{4}$   $SE\frac{1}{4}$  Section 16, T.21S., R.54E., MDM, or at a point from which the SE corner of said Section 16 bears South 4° 40' East, 1152 feet
- 6. The existing permitted point of diversion is located within no change
- 7. Proposed place of use SW4, S2 NW4 Section 16, and SE4, S2 NE4 Section 17, T.21S., R.54E., MDM
- 8. Existing place of use See attached Relinquishment Table, 43.31 acres to be removed from irrigation in the  $SE\frac{1}{4}$  NW $\frac{1}{4}$  (37.03 ac) and the SW $\frac{1}{4}$  NW $\frac{1}{4}$  (6.28 ac) Section 16, T.21S., R.54E., MDM, as shown on the supporting map.
- 9. Use will be from January 1 to December 31 of each year.
- 10. Use was permitted from January 1 to December 31 of each year.
- 11. Description of proposed works drilled well, pump and motor, and municipal water distribution system
- 12. Estimated cost of works \$100,000
- 13. Estimated time required to construct works 2 years (existing irrigation well)
- 14. Estimated time required to complete the application of water to beneficial use 20 years
- 15. Remarks: The purpose of this application, and Application 65105 to change Permit 41159, is to provide water service to 188 residential lots in the proposed Artesia at Hafen Ranch subdivision. Upon approval of these applications by the State Engineer, the 43.31 acres will be withdrawn from the supplemental permits.

Bruce R. Scott, Resource Concepts, Inc.
By s/Bruce R. Scott
340 North Minnesota Street
Carson City, Nevada 89703

Compared	my/cmf	d1/cmi			
Protested			<u>,, ,,</u>		

## APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 41157, Certificate 13213 is issued subject to the terms and conditions imposed in said Permit 41157, Certificate 13213 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress

and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 65105 and 65106

shall not exceed 210.56 acre-feet annually.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right. (CONTINUED ON PAGE 3)

Page 3 of 3 (PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.175 cubic feet per second, but not to exceed 126.726 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

## N/A

Proof of completion of work shall be filed before:  ${\bf N}/{\bf A}$ 

Proof of the application of water to beneficial use shall be filed on or before: **September 30, 2009** 

Map in support of proof of beneficial use shall be filed on or before:  $\underline{N/\underline{A}}$ 

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

this 31st day of August, A.D. 1999

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

Completion of work filed \_\_\_\_\_\_filed under Permit 41157

Proof of beneficial use filed \_\_\_\_\_\_

Cultural map filed \_\_\_\_\_\_ Issued \_\_\_\_\_

					_		_																				i									
		REMAINING			1000	07.16	36.80	38.00	38.00	37.00	37.00	18.00	18.00	35.70	1.31	36.80	36.20	2.00	000	20.00	00.00	12.10	37.03	0.00	36.00	37.10	De.ec	34.80	30.00	35.90	24.02	37.20	0,00	36.40	200	77.1.66
	6-May-99	FOOTNOTE REMAINING													2.3.5			22	22	2.2	2.3		7.	1,4							1,4		1,4			
		RELING ABROG	SACRES	13228				-							7.12			0		0																
		RELIN	ACE.		0	0	0		, ,	51 6	5 6	5 6			11.87			10.70	4.00	15.00	2.00		2.07	5.30		L					2.08		31.40		164.42	
		49838 RE	"CBRT	13228	37.20	38.80							_				36.20	12.70	4.90	35.00	2.00	32.10	39.10	5.30	36.00	37.10	27.55	34.80	30.00	35.90	26.10	37.20	5	38.40	878,20	
	27.000	41172	CERT "	13225	17.20	38.80	38.00	38.00			18.00	18.05	26.95	27.70	20.50	30.30	36.20	12.70	₹.00	35.00	2.00	32.10	39.10	5.30	36.98	37.10	2	74.80	00.00	200	20.10	27.75	2	38.40	878.20	
	PEDICIT	41171 41172	CERT	13224	17.20	38.80	38.00	38.00	37.00	37.00	18.00	18.00	15.70	36.36	26.55	20.80	76.20	12.70	8	35.00	2.00	32.10	39.10	2.30	200	37.10	2	24	8 8	3 3	20.10			36.40	878.20	
ADEAL NOIS	PERMIT	41170	CERT CERT	13223	37.20	38.80	38.00	38.00	37.00	37.00	18.00	18.00	35 70	35 20	3 4 8 4 5	16.76	77.81	12.70	8.	32.8	2,00	32.0	38.60		3 :	21 / 2	2 6	3 5	8 8	25.35	2 5	315	3 3	38.40	878.20	
	PERMIT-PERMIT	41169		13222	37.20	38.80	38.00	38.00	37.00	37.00	18.00	18.00	15.70	35.30	16.80	26.30		0, 2,	3 5	3	82	27.10	2	25.0	3 5	21.15	100.00	200	35	26.36	17.20	1	\$ 50	74:37	878.20	l
	T. PERMIT	٠.		13221	37.20	38.60	8.8	38.00	37.00	37.00	18.00	18.00	35.70	35.30	36.80	36.20	2 18	2 5	3 5	3 6	B) :	2 25.00	2 2	16.05	2 10	36.35	14.80	20 05	35.90	26.10	37.20	71.40	38.40		878.20	
	PERMIT	41164	1.500.£₩ 4.1300	13220	07.75	78.80	18.00	38.00	37.8	37.00	18.00	3.00	35.70	35.30	36.80	36.20	12.70	8	3,5	3	12.55	2 02	2 2	16.00	27.10	15.10	34.80	30.88	35.90	26,10	37.20	31.40	38.40		878.20	
	PERMIT PERMIT PERMIT PERMI	41162 41163	132.10	17.20	19 80	20.00	20.00	28:00	8	2	8.8	8	33.70	35.30	36.80	36.20	12.70	8.4	35.00	2	32,10	8 8	5.30	36.90	37.10	16.10	34.80	30.00	35.90	26.10	37.20	31.40	38.40		878.20	
	PERMIT	41162 CERT	13218	37.20	38 80	28.00	2	3 5	3 ;	3	8 8	3 3	2	2	26.80	36.20	12.70	8	35.00	7.80	32.10	39.10	5.30	36.00	17.10	15. In	34.80	30.00	35.90	26.10	37.28	31.40	38.40	1	678.20	
	PERMIT	CERT	13217	37.20	38.80	38.00	18.00	17.00	2 2	3 2	3 8	3 6	2 3		20.0	36.20	12.70	4.00	35.00	2.00	32.10	39.10	5.30	36.00	37.10	10.25	34.50	30.8	35.90	28.10	27.50	<u>=</u>	38.40	90 020	07970	
	PERMIT	CERT	13216	37.20	38.80	38.00	38.00	27.88	5	3 2	18.00	16.35	36.36	00.55	20.5	26.20	12.70	8	35.00	2.00	32.10	39.10	5.30	36.00	37.10	3.50	74.80	20.00	35.90	26.10	37.20	\$	38.40	979 20	פומיהו	
	THERMIT FERMIT PERMIT PERMIT	CONT. CENT.	13215	37.20	38.80	38.00	38.00	37,88	118	8 8	18.00	2, 3	25.35	2 2	50.5	37.0	27.70	8	35.00	2.00	32.10	39.10	5.30	36.8	27.10	35.10	9	20.5	200	01.07	37 5	3 :	35.40	878 20		
	41158	CENT	13214	37.20	38.80	38.00	38.00	37.00	37.00	18.8	18.00	35.70	12.30	16 80	16 70	3 5	2/3	3	25.08	8	32.10	38.0	S .	8 5	21.7	2 2	3 5	20.00	26.50	3 50		2 9	30.40	878.20		
	41157	CENT	13263	17.30	18.80	38.00	38.00	17.00	37.00	88	18.00	35.70	15.30	36.80	4, 4,	1 5	1	8	8	87	22.00	65	2	3 5		20.00	2 2	300	¥ 5	2 2	5	27.55	2	67.8.20	1	Cettonwood at Halen Reach Phase No. 3
1	ri ri	#GE	20	3	3.	<u>~</u>	٦	=	36	15	54	X	×	3	3	3	13	:	:	╗	য় :	*	x 3	: 3	1 3	<u>ر</u> ع	3	13	3	3	র	3		노	2 5	ich Phi
27.5	AND THE PARTY OF STREET	\$	"	× .	=	=	7	=	₹.	77	77	7	11	ä	=	=	-	1 -	:	; ;	<b>=</b>  ;	╬	1 =	╁	=	=	Ļ	+	127	H	ä	=			Ę.	P 24
158	3	SUBD STATE	į		7	<del>-</del>	-	1	=	-	-	~	6	6	-	0	-	1-	+-	1	=   =	2 3	2 2	<u>_</u>	Ļ	<u> </u>	5	L	<u>L</u>	L	=	=	į.	CONTRACTE	出すり	da Es
1		5080		<u> </u>	2 5	<u>.</u>	z !	3	SE	33	SE	Ž	È	Ž	ż	넂	뿔	È	1 5	+-	+-	┿-	+	╫	├	SW -	里	╀	├-			38	Ť.	13	MANO	<b>MW00</b>
	Į.	35.2		ž ų			ų į	₹ !	뾜	₹	$\neg r$	ξ	발	35	ĸ	MN.	¥	7	7	1	Т	Τ.	${f -}$	1	Γ.	1	<u>₹</u>	1		3	S M	7		Š	3	ğ

2. Cettonwood at Hasen Ranch Phase No. 2

3. Refinquichment was filed under Permit 41 159; withdrawal of supplemental acreage under remaining permits was required at the same lime.

1. Change Application 6091 i was filled to change 2.12 nate under Permit 41.162; withdrawal of supplemental natural ender termining permits was required by letter dated fuly14, 199. The Total Combined Dary for Remins at 157,41159,41169,41161,41163,41164,41167,41169,---4. Relinquishment was filod under Permit 41162; withdrawal of supplemental accrage under remaining permits was requised at the same time.

: : : :

The social permitted screnge for all permit equalist 1752 scree before retinquishments and abroge calons

The daty is £5517 sere-feet / sere

Acmaining total combined duty equals

3751.6 acre-feet annually